

4580 W Roosevelt Rd Hillside, IL 60162 www.Lenovasinks.com Phone: 877-733-1098

SPECIFICATIONS

MODEL SS-AP2LE-S33

Double Ledge Functional Design

GENERAL

Fine quality sink formed of heavy duty 16 gauge, type 304 nickel bearing stainless steel.

DESIGN FEATURES

Bowl depth 10" with inside bowl dimensions 31" X19", and over all 32-4/5" X 22-4/5".


Finish: Inside bowl surfaces polished to a uniform satin finish.

Underside: High density sound absorption pads covered with a thick rubberized insulation layer on all bottom surfaces.

Other: Drain opening 3 1/2".







DOUBLE LEDGE FUNCTIONAL DESIGN SINGLE BOWL APRON FARM SINK UNDERMOUNT SS-AP2LE-S33 (33 x 22 ¾ x 10)

55-AFZLE-555 (55 X ZZ 74 X 1

ACCESSORIES Grid: GASLE33 Sink Strainer: A-SS-01, A-SS-02, A-SS-05 DOWN LEVEL ACCESSORIES Rolling Grid: SS-AC-GR18 Colander: A-CLDR18, SS-AC-LE18 Bamboo Cutting Board: A-CB-18 CUPC certified

Minimum cabinet size 33"

UP LEVEL ACCESSORIES Rolling Grid: SS-AC-GRAP19 Colander: SS-AC-LEAP3 Bamboo Cutting Board: A-CB19

Warranty:

Limited Life Time warranty against manufacturer defects and craftsmanship.

Codes/Standards Applicable:

ASME A112.19.3/CSA B45.4 *Template and mounting clips are packed with every sink